

## 277V Watt-Selectable LED Troffer Light

### Product Description:

Specific design, innovative ultra-thin LED troffer Light is a design based on the ideal replacement of fluorescent troffer. The WL-3TRS22/24 accepts 120-277VAC, and have a high lumen efficiency up to 130Lm/W. With well-distributed soft light, no any dark spot and special ultra-thin design. This Luminaries is regarded as the leading of greening Lighting for commercial and industrial uses.

### Features:

- Voltage:120-277VAC
- Ultra-thin Design, only 2.16" in Height
- High luminous efficiency up to 130Lm/W
- Soft and uniform distribution
- Watt Selectable, single CCT
- Dimmable with compatible 0-10V dimmer
- Emergency Driver Optional
- UL listed driver
- 5 years warranty



### Options:



Emergency Pack(4W &8W)

# WL-3TRS Series GEN 3



277V Watt-Selectable LED Troffer Light

## Features:

Product Name : LED Troffer Light

Efficiency 130 Lm/w

Voltage input: 120-277Vac

Watt Options: 2X2ft : 24W/30W Changeable ;2X4ft : 24W/36W/45W Changeable

CRI: >80

CCT Options: 3500K~5000K

Operating Temp: -25°C~ 40°C

Power Factor: >0.90


Certifications: In pending

Lm80 life Span: >50,000 Hrs


Warranty: 5 years

Product Size: 2X2ft : 603\*603\*55 mm;2X4ft : 1213\*603\*55 mm


## Dimensions:



2X2ft : 603\*603\*55 mm




2X4ft : 1212\*603\*55 mm



# WL-3TRS Series GEN 3

277V Watt-Selectable LED Troffer Light

## Applications:



Office



Library



Supermarket



Bank

## Product Models:

Model	Watt	Lumens Efficiency	Dimmable	DLC CCT Options	Certification
WL-3TRS2224DUV(XXXXK)-T [EM,Blank]	24W/30W	130Lm/W	0-10V	3000K~5000K	ETL & DLC In pending
WL-3TRS2230DUV(XXXXK)-T [EM,Blank]	Changeable				
WL-3TRS2424DUV(XXXXK)-T [EM,Blank]	24W/36W/ 45W	130Lm/W	0-10V	3000K~5000K	ETL & DLC In pending
WL-3TRS2436DUV(XXXXK)-T [EM,Blank]	Changeable				
WL-3TRS2445DUV(XXXXK)-T [EM,Blank]					

# WL-3TRS Series GEN 3



277V Watt-Selectable LED Troffer Light

## Certification Information :

Item	ETL	DLC	Notes
WL-3TRS2224DUV(YYYYYK)-T[EM]	√	√	DLC 30K,35K,40K,45K,50K
WL-3TRS2230DUV(YYYYYK)-T[EM]	√	√	DLC 30K,35K,40K,45K,50K
WL-3TRS2424DUV(YYYYYK)-T[EM]	√	√	DLC 30K,35K,40K,45K,50K
WL-3TRS2436DUV(YYYYYK)-T[EM]	√	√	DLC 30K,35K,40K,45K,50K
WL-3TRS2445DUV(YYYYYK)-T[EM]	√	√	DLC 30K,35K,40K,45K,50K

## Order Information:

Eg: WL-3TRS2230DUV(4000K)-T

FAMILY	Product	SIZE	WATTAGE	Dimmable	Voltage	CCT	T	Options
WL Wisdom Light	3TRS GEN 3 LED Troffer Light	22 2X2FT	24 24W	D 0-10V Dim	UV 120-277V	*3000K	Watt- Tunable	EM Emergency Driver MS=Motion Sen- sor 2.4G=2.4G Control BM=Bluetooth Mesh Blank=No any function
			30 30W			* 3500K		
		24 2X4 FT	24 24W			* 4000K		
			30 36W			* 4500K		
			45 45W			* 5000K		