


Direct&Indirect Architecture Strip Light

Product Description:

Wisdom WL-LSUD series LED linear light features a sturdy aluminum body with a plastic diffuser and offers energy saving with a high color rendering index lighting >80 CRI. It is a single and double emission hanging luminaire complete with high efficiency LED. The fixture is designed for offices, hotels, conference rooms, schools, colleges, hospitals and residential use. The light can be suspended or wall mount. It is dimmable using a 0-10V dimmer. Available in 3-color changeable and 5-color changeable, 2ft and 4ft lengths and finish in Satin Aluminum, Black or White colors.



Features:

30%
Brightness

70%
Brightness

Up&Down Light

OFF ON

ON OFF

A+B Switch

3-Finishing Color

● ● ●

Color Changeable


30K/40K/50K

27K/30K/40K/50K/57K


WL-LSUD Series — Direct&Indirect

Direct&Indirect Architecture Strip Light


Mounting Options:




Wall Mount



Suspend Mount




Suspend Mount




Linkable (Max. 7PCS)

Options:



A+B Switch

A+B switch




3-Finishing Color

Color Changeable

30K/40K/50K

A+B switch and 3-CCT



3-Finishing Color

27K/30K/40K/50K/57K

A+B switch and 5-CCT



DALI driver option



ELV dimmable option

Applications:



Office



Bedroom



Supermarket

WL-LSUD Series — Direct&Indirect



Direct&Indirect Architecture Strip Light

Features:

Product Name : LED Linear Strip Light

Efficiency 105 lm/w

Voltage input: 100-277V & 120-277/347V

Watt Options: 50W (Up 15W; Down 35W)

CRI: >80

CCT Options: 3500K~5000K & 3000K/4000K/5000K or 2700K/3000K/4000K/5000K/5700K changeable

Dimmable: 0-10V Dimmable

Operating Temp: -25°C~ 50°C

Power Factor: >0.9

Lm80 life Span: >50,000 Hrs

Warranty: 5 years

Certifications: ETL

Dimension: L1205*W70*H80MM

Product Models :

Model	Size	Watt	Lumens Efficiency	Dimmable	CCT options
WL-LSUD4FT50WDXX-XXK	L1200*W70*H80MM	50W	105Lm/W	0-10V	3500K~5000K
WL-LSUD4FT50WDXX-XXK/ XXK/XXK-T	L1200*W70*H80MM	50W	105Lm/W	0-10V	3000K~5000K Changeable
WL-LSUD4FT50WDXX-XXK/ XXK/XXK/XXK/XXK-T	L1200*W70*H80MM	50W	105Lm/W	0-10V	2700K~5700K Changeable

Order Information :

Eg: WL-LSUD4FT50WD-50K

Product Family	Series	Size	Watt	Control	Voltage	CCT	T
WL Wisdom Light	LSUD Light Linear Strip Up Down Light Series	4FT 4 feet	50W	Blank None D 0-10V	Blank 100-277V HV 120-277/347V	35K 3500K 40K 4000K 45K 4500K 50K 5000K	CCT Changeable 3000K/4000K/5000K 2700K/3000K/4000K/5000K/5700K