


# WL-LSD Series — Direct


LED Architectural Linear Direct Light

## Product Description:

Wisdom WL-LSD series LED linear light uses high lumens chip SMD 2835, aluminum housing materials. Product can be used pendant installation. The linear light can be linkable according to the actual application scenario.



## Features:



Office




Bedroom



Supermarket

## LED Architectural Linear Direct Light

### Options:



### Features:

**Product Name :** LED Architectural Linear Direct Light

**Efficiency** 130 lm/w

**Voltage input:** 100-277V & 120-277/347V

**Watt Options:** 40W

**CRI:** >80

**CCT Options:** 3500K~5000K & 3000K/4000K/5000K changeable

**Dimmable:** 0-10V Dimmable

**Operating Temp:** -25°C~ 50°C

**Power Factor:** >0.9

**Lm80 life Span:** >50,000 Hrs

**Warranty:** 5 years

**Certifications:** ETL & DLC

**Dimension:** L1183\*W66\*H70mm

### Product Models :

Model	Size	Watt	Lumens Efficiency	Dimmable	CCT options
WL-LSD4FT40WDXX-XXK	L1183*W66*H70mm	40W	130Lm/W	0-10V	3500K~5000K
WL-LSD4FT40WDXX-XXK/ XXK/XXK-T	L1183*W66*H70mm	40W	130Lm/W	0-10V	3000K~5000K Changeable

# WL-LSD Series — Direct



LED Architectural Linear Direct Light

## Order Information :

Eg: WL-LSD4FT40WD-50K

Product Family	Series	Size	Watt	Control	Voltage	CCT	T
WL Wisdom Light	LSD LED Architectural Linear Direct Light	4FT 4 feet	40W	Blank None D 0-10V	Blank 100-277V HV 120-277/347V	35K 3500K 40K 4000K 45K 4500K 50K 5000K	CCT Changeable 3000K/4000K/5000K

## Package Information :

Item No.	Pcs/Ctn	N.W. (kg)	G.W. (kg)	Carton Dimensions
WL-LSD4FT40WD	4pcs(without inner box)	8.5	9.6	124x20.5x18cm
WL-LSD4FT40WD	4pcs (with inner box)	8.5	10.6	126x20x20.5cm